


TEKNİK KATALOG
TECHNICAL CATALOG





Kirli Su
Dirty water



Evsel Alan
Domestic use



Kamusal Alan
Civil use







Endüstriyel Alan
Industrial use



Q100B101 SERİSİ
Q100B101 SERIES






Uygulamalar

Q100B101 Serisi pompalar, katı parçacık içermeyen temiz veya çok az kirli sular için uygundur. Pompa 2" çıkış ağız ile çok daha hızlı bir şekilde drenaj işlemi sağlar. Su altındaki alanların (odalar, bodrumlar, garajlar) boşaltılması, evdeki suların tahliyesi (bulaşık makinelerinden, çamaşır makinelerinden) ve temiz veya çok az kirli drenaj sistemlerinin boşaltılması gibi alanlarda kullanımı uygundur.

Application

The Q100B101 series is suitable for use with clear water that does not contain abrasive particles. 2" water discharge could reach very big flow rate per hour. They are suitable for use in applications such as draining small flooded areas (rooms, cellars, garages) in the event of an emergency, for the disposal of waste water in the home (from dishwashers, washing machines) and for emptying drainage traps.

Performans Eğrileri 50 Hz/ Performance Curves at 50 Hz



Pompa Özellikleri/ Pump Specification

No	MODEL	Q100B101
1	Anma Gücü	1000 Watt
2	Maksimum Pompa Basma Yüksekliği	9 m
3	Maksimum Debi	20000 l/saat
4	Maksimum Basınç	0,9 Bar
5	Maksimum Partikül Çapı	40 mm
6	Çıkış Ölçüsü	1½" - 2"
7	En Düşük Pompa Çalıştırma Seviyesi	165 mm
8	En Düşük Pompa Emme Seviyesi	53 mm
9	Koli Adeti	2 Adet
10	Koli Ölçüleri	48x27x47 cm
11	Koli Ağırlığı	16,2 kg

No	MODEL	Q100B101
1	Rated Power	1000 Watt
2	Max. Pump Height	9 m
3	Max. Pumprate	20000 l/h
4	Max. Pressure	0,9 Bar
5	Max.grain size	40 mm
6	Dia of Connecting Pipe	1½" - 2"
7	Lowest Pump Starting Level	165 mm
8	Lowest Pump Sucking Level	53 mm
9	Qty in Carton Box	2 Pcs
10	Master Carton Box Size	48x27x47 cm
11	Master Carton Box Gross Weight	16,2 kg



www.ulusupompa.com.tr

MTOSB Atatürk Bulv. No:4 Huzurkent Mersin
✉ info@ulusupompa.com.tr

☎ **0090 444 2 731**