

 Kirli Su  
Dirty water

 Evsel Alan  
Domestic use


 Kamusal Alan  
Civil use

 Endüstriyel Alan  
Industrial use



VXM 12-1 SERİSİ  
VXM 12-1 SERIES







230V - 50 Hz




Max. 35° C



Cable 10 m



Max. 35 mm



Max. 7 m


## Uygulamalar

VXM 12-1 Serisi dalgıç pompalar; Yer altı suları, kanalizasyonlar, foseptik kuyuları, endüstriyel alanlar, inşaat alanlarının temellerinde bulunan kirli suların tahliyesinde kullanıma uygundur. Pompanın gövdesi korozyona dayanımı artırmak için SS304 paslanmaz çelik malzemeden imal edilmiştir. Pompanın yapısını da katı madde geçişini sağlamak için daha geniş açık fan kullanılmıştır.

## Application

VXM 12-1 serie pumps are suitable for using in underground water, sewage water, waste water in the industrial zones and construction area with the body which is made of SS304 stainless steel material to increase corrosion resistance. Another feature of pump is a wider open fan that is used in the structure of the pump to allow the passage of solids.

## Performans Eğrileri 50 Hz/ Performance Curves at 50 Hz



## Pompa Özellikleri/ Pump Specification

No	MODEL	VXM 12-1
1	Anma Gücü	750 Watt
2	Maksimum Pompa Basma Yüksekliği	9,5 m
3	Maksimum Debi	21000 l/saat
4	Maksimum Basınç	0,95 Bar
5	Maksimum Partikül Çapı	35 mm
6	Çıkış Ölçüsü	2"
7	En Düşük Pompa Çalıştırma Seviyesi	500 mm
8	En Düşük Pompa Emme Seviyesi	150 mm
9	Koli Adeti	1 Adet
10	Koli Ölçüleri	27x23x47 cm
11	Koli Ağırlığı	9,4 kg

No	MODEL	VXM 12-1
1	Rated Power	750 Watt
2	Max. Pump Height	9,5 m
3	Max. Pump rate	21000 l/h
4	Max. Pressure	0,95 Bar
5	Max. grain size	35 mm
6	Dia of Connecting Pipe	2"
7	Lowest Pump Starting Level	500 mm
8	Lowest Pump Sucking Level	150 mm
9	Qty in Carton Box	1 Pcs
10	Master Carton Box Size	27x23x47 cm
11	Master Carton Box Gross Weight	9,4 kg



[www.ulusupompa.com.tr](http://www.ulusupompa.com.tr)

MTOSB Atatürk Bulv. No:4 Huzurkent Mersin  
✉ info@ulusupompa.com.tr

☎ **0090 444 2 731**