

Temiz Su  
Clean water

Evsel Alan  
Domestic use

Kamusal Alan  
Civil use






Endüstriyel Alan  
Industrial use

Tarımsal Alan  
Agriculture use



QSD 15-32-2.2 SERİSİ  
QSD 15-32-2.2 SERIES






## Uygulamalar

QSD 15-32-2.2 Serisi pompalar, katı parçacık içermeyen temiz veya çok az kirli sular için uygundur. Bu tip pompalar; Kademeli yapıları sayesinde Rezervuarlardan, su depolarından veya nispeten daha derin yapılarda olan sarnıç ve örme kuyularda kullanılabilir. Evsel kullanımlar da, bahçelerde, yağmurlama ve damlama sistemlerinde kullanılabilir.

## Application

The QSD 15-32-2.2 serisi pumps are used with non solid particle clean water or semi dirty water that includes small sand particles. Thanks to its multi stage design this kind of pumps are very suitable to use in deep reservoirs, in water tanks and in deep wells. In addition to this this kind of pumps can be used easily with domestic areas in gardens with sprinklers and drip systems.

## Performans Eğrileri 50 Hz/ Performance Curves at 50 Hz



## Pompa Özellikleri/ Pump Specification

No	MODEL	QSD 15-32-2.2
1	Anma Gücü	2200 Watt
2	Maksimum Pompa Basma Yüksekliği	38 m
3	Maksimum Debi	30000 l/saat
4	Maksimum Basınç	3,8 Bar
5	Maksimum Partikül Çapı	5 mm
6	Çıkış Ölçüsü	1½"
7	Sıvı PH Değeri	6.5 - 8.5
8	Koli Adeti	1 Adet
9	Koli Ölçüleri	54x25x28 cm
10	Koli Ağırlığı	24,0 kg

No	MODEL	QSD 15-32-2.2
1	Rated Power	2200 Watt
2	Max. Pump Height	38 m
3	Max. Pump rate	30000 l/h
4	Max. Pressure	3,8 Bar
5	Max. grain size	5 mm
6	Dia of Connecting Pipe	1½"
7	Liquid PH Value	6.5 - 8.5
8	Qty in Carton Box	1 Pcs
9	Master Carton Box Size	54x25x28 cm
10	Master Carton Box Gross Weight	24,0 kg



[www.ulusupompa.com.tr](http://www.ulusupompa.com.tr)

MTOSB Atatürk Bulv. No:4 Huzurkent Mersin  
✉ info@ulusupompa.com.tr

☎ **0090 444 2 731**