

Temiz Su
Clean water

Evsel Alan
Domestic use

Kamusal Alan
Civil use






Endüstriyel Alan
Industrial use

Tarımsal Alan
Agriculture use



QSD 10-32-1.9 SERİSİ
QSD 10-32-1.9 SERIES






Uygulamalar

QSD 10-32-1.9 Serisi pompalar, katı parçacık içermeyen temiz veya çok az kirli sular için uygundur. Bu tip pompalar; Kademeli yapıları sayesinde Rezervuarlardan, su depolarından veya nispeten daha derin yapılarda olan sarnıç ve örme kuyularda kullanılabilir. Evsel kullanımlar da, bahçelerde, yağmurlama ve damlama sistemlerinde kullanılabilir.

Application

The QSD 10-32-1.9 serisi pumps are used with non solid particle clean water or semi dirty water that includes small sand particles. Thanks to its multi stage design this kind of pumps are very suitable to use in deep reservoirs, in water tanks and in deep wells. In addition to this this kind of pumps can be used easily with domestic areas in gardens with sprinklers and drip systems.

Performans Eğrileri 50 Hz/ Performance Curves at 50 Hz



Pompa Özellikleri/ Pump Specification

No	MODEL	QSD 10-32-1.9
1	Anma Gücü	1900 Watt
2	Maksimum Pompa Basma Yüksekliği	37 m
3	Maksimum Debi	18000 l/saat
4	Maksimum Basınç	3,7 Bar
5	Maksimum Partikül Çapı	5 mm
6	Çıkış Ölçüsü	1 1/2"
7	Sıvı PH Değeri	6.5 - 8.5
8	Koli Adeti	1 Adet
9	Koli Ölçüleri	49x24x25 cm
10	Koli Ağırlığı	19,0 kg

No	MODEL	QSD 10-32-1.9
1	Rated Power	1900 Watt
2	Max. Pump Height	37 m
3	Max. Pump rate	18000 l/h
4	Max. Pressure	3,7 Bar
5	Max. grain size	5 mm
6	Dia of Connecting Pipe	1 1/2"
7	Liquid PH Value	6.5 - 8.5
8	Qty in Carton Box	1 Pcs
9	Master Carton Box Size	49x24x25 cm
10	Master Carton Box Gross Weight	19,0 kg



www.ulusupompa.com.tr

MTOSB Atatürk Bulv. No:4 Huzurkent Mersin
✉ info@ulusupompa.com.tr

☎ **0090 444 2 731**